

NIGHTINGALE SUPPLY

PO BOX 712 HAMILTON CENTRAL QLD 4007
PHONE: (07) 3260.6544 FAX: (07) 3260.6646
EMAIL: nightingale1@hotmail.net.au

TECHNICAL DATA SHEET

44Y EASIGLIDE

Brush/Scraper Grade Contact Adhesive

➤ DESCRIPTION:

Is a polychloroprene based contact adhesive suitable for bonding Leather, Rubber and other Shoe materials, as well as Flooring and Table top materials of Vinyl, Linoleum, Cork, Rubber, "Formica" Pegulan etc. to wood, fibreboard, masonite, iron and concrete. Suitable for application by Scraper or brush.

➤ TYPICAL PROPERTIES:

Appearance:	Pale Yellow
Viscosity:	Thick syrup
Solids Content:	Approximately 22%
Base:	Polychloroprene
Tack Up:	Approximately 10-15 minutes @ 20C.
Open Time:	Approximately 45 minutes.
Coverage:	Approximately 5m ² per Litre/one surface 2 surfaces 2/5m ²
Flash Point:	Less than 0°C.
Shelf Life:	Approx. 12 months in sealed container At 20°C.

➤ DIRECTIONS FOR USE:

The surface to be bonded must be thoroughly clean, dry and free from dust, oil grease etc. **Grasp 44Y Easiglide** is designed for scraper application. Apply adhesive with a scraper to both surfaces and allow the adhesive to become touch dry. This will take approximately 10-15 minutes depending on atmospheric conditions and can be tested by placing the knuckles onto the adhesive coat which should feel tacky but not transfer to the knuckles. Surfaces should be joined within 45 minutes after application. If the surfaces are not joined within this time, they can be reactivated by applying a further thin coat of adhesive. A minimum 276 kpa (40 psi) pressure is recommended for best results.

➤ **STORAGE & SAFETY DIRECTIONS:**

Grasp 44Y Easiglide should be stored out of direct sunlight. Storage areas to be well ventilated and comply with Local, State and Federal regulations.

Keep away from sparks and open flame.

Avoid contact with eyes and skin. Wear solvent resistant gloves, and safety glasses with side shields. Avoid breathing vapours, use with adequate ventilation.

Wear an organic vapour respirator when spraying or where ventilation is inadequate.

➤ **FIRST AID:**

If poisoning occurs, contact a doctor or Poisons Information Centre. If swallowed, DO NOT induce vomiting, give a glass of water and see a Doctor. If in eyes, hold eyes open, flood with water for 15 minutes and see a Doctor.

➤ **PACKAGING:** 1 Ltr, 4 Ltr, 20 Ltr, 200 Ltr.

The information presented is believed to be accurate, however, no guarantee is implied or given. User should conduct their own testing to determine the suitability of any product for a particular purpose.